

Analytical report AR-22-E8-026396-01

Sample code 297-2022-00032981

Issue date 21.04.2022

Client	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
* Type of sample	ALLNUTRITION BeautyRose 120 tab 005-32419-2859909
* Prescriber	SFD S.A.
* Purchase order date	01.04.2022
* Client Purchase order nr.	1
Transport by	Courier
* Sampling Person	principal
* Purpose of the testing	fulfillment of legal requirements
* Type of sampling	to guarantee its representativeness
Reception date	04.04.2022
* Batch number	AD220103
* Best before date	2024-01-31
Sample condition	acceptable
Transport condition	at ambient temp.
Number of tested samples	1
* Client sample code	4
Start analysis	06.04.2022
End Analysis	21.04.2022

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement
DJ513	Tablet weight as received from customer (#)	Calculation	0 ,5000	g/Tablet	
DJB01	alpha-Tocopheryl acetate (vitamin E acetate) (A)	USP 41/ NF 36 method 1 mod., LC-DAD	1030 // 5 ,16	mg/100 g // mg/Tablet	± 20%
	alpha-Tocopheryl acetate calc. as alpha-Tocopherol (A)		939 // 4 ,69	mg/100 g	± 20%
DJCV3	Vitamin C (A)	ISO 20635:2018, LC-DAD	2580 // 12 ,9	mg/100 g // mg/Tablet	± 10%
KTD42	Copper (Cu) (A)	LS-PP-CH-85, ICP-MS	554 // 0 ,277	mg/kg // mg/Tablet	± 5%
KTD43	Zinc (Zn) (A)	LS-PP-CH-85, ICP-MS	4840 // 2 ,42	mg/kg // mg/Tablet	± 5%

= Not accredited
 A = Method accredited
 x = Data provided by the customer

Details of laboratory accreditation:

DJ513: Eurofins Vitamin Testing Denmark 0001: (Not accredited)

DJB01, DJCV3: Eurofins Vitamin Testing Denmark RE00037: DS EN ISO/IEC 17025 DANAK 581

SK07Q: Eurofins Bel/Novamann (Bratislava) RE0009X: ISO/IEC 17025:2017 SNAS S-106

KTD42, KTD43: Eurofins Environment Testing Slovakia Turčianske RE000HB: ISO/IEC 17025:2017 SNAS S-406

+/- Uncertainty of measurement presented as expanded uncertainty of measurement (95%; k=2).



Approved by: Alicja Milczarek
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.