

TEST REPORT NO 16716/23/GDY

Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION CRE7 360 g natural Batch: AN221206 Expiry date: 31.12.2024
Sample reception date:	13.01.2023	Sample status: no objections Sample received from the Client
Start of analysis	18.01.2023	
End of analysis	25.01.2023	
Test report date	25.01.2023	

Test Method	Unit	Result
# Creatine monohydrate Hadorn		
Creatine Monohydrate	g/100 g	52,9 ± 5,8

Test: Creatine monohydrate was performed in laboratory EUROFINS VITAMIN TESTING DENMARK A/S VEJEN

Authorized by:

Subcontracted test results are authorised by persons authorised by the external provider.

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity/non-conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity/non-conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider