

## Analytical report AR-22-RE-028669-01

**Sample code** 122-2022-00025655

Issue date 05.04.2022

<b>Client</b>	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
* <b>Type of sample</b>	ALLNUTRITION Caffeine 200 power 100 kaps 005-32419-2851043
* <b>Prescriber</b>	SFD S.A.
* <b>Purchase order date</b>	24.02.2022
* <b>Client Purchase order nr.</b>	1
<b>Transport by</b>	Courier
* <b>Sampling Person</b>	Principal
* <b>Purpose of the testing</b>	fulfillment of legal requirements
* <b>Type of sampling</b>	to guarantee its representativeness
<b>Reception date</b>	08.03.2022
* <b>Batch number</b>	11.2023/50100
* <b>Best before date</b>	2023-11-30
* <b>Packaging</b>	manufacturer packaging
<b>Sample condition</b>	acceptable
<b>Transport condition</b>	at ambient temp.
<b>Number of tested samples</b>	1
* <b>Client sample code</b>	1
<b>Start analysis</b>	09.03.2022
<b>End Analysis</b>	05.04.2022

### Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement
M904F	Caffeine (#)	Metoda wewnętrzna, LC-DAD	574000	µg/g	
ZPET0	2-chloro-ethanol (expr. as ethylene oxide) (A)	Internal Method P-14.194-5, GC-MS/MS	<0 ,01	mg/kg	
	Ethylene Oxide (free) (A)		<0 ,01	mg/kg	
	Ethylene oxide (sum ethylene oxide and 2-chloro-et) (A)		--	mg/kg	

# = Not accredited  
 A = Method accredited  
 x = Data provided by the customer

Details of laboratory accreditation:

ZPET0: Eurofins Dr. Specht Laboratorien (HH) RE000CX: DIN EN ISO/IEC 17025:2018 DAkks D-PL-14198-01-00

M904F: Eurofins Botanical Testing US Brea 0001: (Not accredited)



---

Approved by: Alicja Milczarek  
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.