

TEST REPORT NO 583859/22/GDY

Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION D3 4000 DROPS 30 ml Batch: 08.2024/203783
Sample reception date:	16.12.2022	Sample status: no objections Sample received from the Client
Start of analysis	20.12.2022	
End of analysis	05.01.2023	
Test report date	05.01.2023	

Test Method	Unit	Result
* Vitamin D3 ¹⁾ PN-EN 12821:2009		
Vitamin D3 (cholecalciferol)	µg/dose	85,3 ± 12,8
* Density at 20°C PB-276 ed. I of 10.07.2014	g/cm ³	0,9241 ± 0,0185

1) The sample density declared by the Client is equal to 0,9241 g/ml.

Authorized by:
 Aleksandra Makowska, Senior Analysis Specialist, Classical Analysis Laboratory
 Ewa Ostrach-Grzybowska, Analysis Expert, Vitamin Analysis Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
 Chwaszczyńska 180, 81-571 Gdynia

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
 # Test performed by external provider