



## TEST REPORT NO. 93643/22/GDY/2

Client <b>SFD SPÓŁKA AKCYJNA</b> GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION Whey protein 908 g vanilla  Batch: 06.2023.EX1.T36 Production date: 30.06.2023 Expiry date: 30.06.2021
Sample reception date:	03.03.2022	Sample status: no objections  Sample received from the Client
Start of analysis:	07.03.2022	
End of analysis:	18.03.2022	
Test report date:	18.03.2022	

Test Method	Unit	Result
* # Sugars - profile <sup>1)</sup> SLMB No. 501.2:2008, mod., SOP:00.15610.L		
Sugar (total mono- and disaccharides)	g/100 g	3,8
Fructose	g/100 g	<0,1
Galactose	g/100 g	<0,1
Glucose	g/100 g	<0,1
Lactose	g/100 g	3,2 ± 0,3
Maltotriose	g/100 g	0,4 ± 0,04
Maltose	g/100 g	0,2 ± 0,05
Sucrose	g/100 g	0,4 ± 0,04
* Protein (N*6,25) PB-116 ed. III of 11.08.2020	%	68,6 ± 2,0
* Moisture PB-285 ed. I of 26.09.2014 p. 1	%	4,7 ± 0,3
Protein (N*6,25) on dry matter Calculated	%	72,0 ± 2,2
* Fat PB-286 ed. I of 26.09.2014	g/100 g	5,2 ± 0,5

<sup>1)</sup> The symbol '<' means below the limit of quantification of the analytical method'.

Test: Sugars - profile was performed in laboratory with an accreditation number D-PL-14038-01-00

Authorized by:

Joanna Śpiewak, Analysis Expert, Classical Analysis Laboratory Gdynia

Monika Przybyłowska, Senior Analysis Specialist, Classical Analysis Laboratory Gdynia

Subcontracted test results are authorised by persons authorised by the external provider.

This report is approved by the qualified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia



# HAMILTON



AB 079

## TEST REPORT NO. 93643/22/GDY/2

### THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor  $k=2$  at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider